



پایان‌نامه‌ی کارشناسی ارشد: اکرم فرزادنیا، ۱۳۹۶

بررسی بیان فاکتورهای AP1 و blimp1 در سلول‌های سرطان پروستات

بررسی بیان دو فاکتور رونویسی AP1 (فاکتور فعال‌کننده پروتئین) و Blimp1 (پروتئین بالغ‌کننده ی القایی لنفوسیت B) در سلول‌های سرطانی پروستات صورت می‌گیرد، همچنین بیان زیرواحدهای متفاوت AP1 علاوه بر بررسی Blimp1 به صورت جداگانه صورت می‌گیرد. در مرحله بعد اثر سلول‌های سرطانی تحت تیمار TGF-beta1 فاکتور رشد بتا است این دو فاکتور رونویسی با اثر بر روی میزان بیان ژن طی یک پروسه آبخاری با فعال کردن و غیر فعال کردن فاکتورهای حدواسط در سرطان باعث سرکوب کردن واز تکثیر نابه جای سلول‌ها جلوگیری می‌کنند و یا در جهت انکوژن شدن سلول‌ها را پیش می‌برند. با کشت سلول‌ها در محیطی که فاکتور رشد بتا وجود دارد میتوان اثر این فاکتور را بر روی سلول‌های سرطانی پروستات مشاهده کرد که این فاکتور هم میتواند نقش مهارکنندگی از طریق مهار مرحله G1 چرخه سلولی بر روی تومور داشته باشد و هم در مراحل بالاتر میتواند نقش پیش‌برنده ی سرطان را داشته باشند.

کلیدواژه‌ها: AP1, Blimp1, TGF-beta1, انکوژن

شماره‌ی پایان‌نامه: ۱۲۷۳۰۵۶۰۹۵۲۰۱۱

تاریخ دفاع: ۱۳۹۶/۰۶/۲۰

رشته‌ی تحصیلی: زیست‌فناوری (بیوتکنولوژی)

دانشکده: علوم پایه

استاد راهنما: دکتر محسن نعیمی‌پور

استاد مشاور: دکتر علی‌اکبر جنت‌آبادی

M.A. Thesis:

AP1 factors and blimp1 expression in prostate cancer cells

The investigation the expression of two AP1 and blimp1 transfection factors in prostate cancer cells has been investigated. In these studies, by first cultivating cancer cells in a culture medium and extracting RNA, the CDNA was produced, and then it was determined by the PCR reaction that these two factors were expressed in prostate cancer cells of LNCap. By performing Real time pcr, the expression of these two factors in this cell line was investigated. To influence the effect of the TGF-beta factor on these factors, first, treat the cells of this cell line under TGFbeta, then put Realtime pcr into account and achieve this result. TGF-beta has no effect on these transcription factors. Prostate cancer is common in men, so researchers are looking for ways to prevent and treat them, which will take a step closer in the near future to these methods and factors to cure this disease.